





MARANO®

LIGHT • STYLE • VISION

Fully modular aluminium fencing system



ID	Description	Size mm	Colour	Code
1	6m Long Double Sided Slats Smooth/Grooved	–	RAL 7012 Anthracite Grey	76S003A
			Golden Oak Wood Effect	76S003G
2	6m Long Top Cap for Slat Infill	–	RAL 7012 Anthracite Grey	76S003TCA
			Golden Oak Wood Effect	76S003TCG
3	6m Long Anodised Aluminium Insert	–	–	76S003IA
4	Self Tapping Screws Panhead - Stainless Steel (x 200)	4.2 x 13	–	5004PS4213
	Screws for Fixing Boards - BZP (x 100)	4.2 x 12	–	76SS4212D
5	Angle 1.5mm Thick	1100 x 40 x 20	RAL 9005 Black	76A001B12
			RAL 9005 Black	76A001B18
		1800 x 40 x 20	RAL 7012 Anthracite Grey	76A001A18
			Golden Oak Wood Effect	76A001G18
6	Bolt-Down Post for 1.2m High Fence	1155 x 50.8 x 50.8	Black Gloss	76PB5012B
	Concrete-In Post for 1.2m High Fence	1750 x 50.8 x 50.8	Black Gloss	76PC5012B
	Bolt-Down Post for 1.8m High Fence	1865 x 76.2 x 76.2	Black Gloss	76PB7518B
7	Rubber Gasket for 6mm Glass	–	–	76RG001
8	6mm Glass (not supplied)	–	–	–
9	Clear Acrylic Infill 10mm Thick	2030 x 100	–	76S003CA
	Frosted Acrylic Infill 10mm Thick	2030 x 100	–	76S003FA

All components are aluminium unless otherwise stated.


Key:

Description	Symbol	Information
Drill		You will need a crosshead M4 attachment
Aluminium Saw		Use a fine tooth aluminium saw with a clean, sharp blade when cutting posts or slats
Rubber mallet		For securing slats on top of each other and the top cap onto the last slat
Bolt-Down		4 x M12 bolts required to fix each bolt-down post
Concrete-In		Place 600mm into the ground. For further stability, we suggest inserting a galvanised steel tube Ø 26.9 x 300mm (cut from code: 160225) horizontally through the concrete pouring hole


One System, Many Different Elements

Marano Elements is our most versatile slat system, allowing you to create ultra-modern, unique styles combined from our double-sided golden oak wood effect and anthracite grey aluminium fencing slats, acrylic panels, or aluminium strips.


For guidance with just some of these combinations please use our helpful flow chart:




Fence Boards and Acrylic



Ridged




Alternate




Smooth




Fence Boards and Insert



Ridged




Alternate




Smooth




Fence Boards, 6mm Glass and Rubber Gaskets



Ridged




Alternate



Smooth




Concrete-In Posts



*Please note Elements can use alternate board striped pattern as seen above.


O/A Fence Height m	Ground Clearance (B) mm	Concrete-In (C) mm	Post Size H x W x D mm	Code
1150	50	600	1750 x 50.8 x 50.8	76PC5012B
1840	50	600	2440 x 76.2 x 76.2	76PC7518B

Bolt-Down Posts




O/A Fence Height m	Ground Clearance (A) mm	Post Size H x W x D mm	Code
1035	50	1155 x 50.8 x 50.8	76PB5012B
1840	50	1865 x 76.2 x 76.2	76PB7518B

Our 1.2 and 1.8m posts for the Marano Stripe system can be easily cut to size to suit your needs. Boards can also be cut to length as required.




IMPORTANT: Please refer to the table below when determining fence height. This example uses a simple slat, anodised aluminium insert and single piece of acrylic infill. Elements is one of our most versatile aluminium fencing systems with several possible combinations.



Fence Height (D) mm	Post Height mm	Bolt-Down Ground Clearance mm	Concrete-In Ground Clearance mm	Number of Slats	Number of Inserts	Pieces of Acrylic/ Glass	Number of Top Caps
920	960	50	50	7	5	1	1
1035	1060	50	50	8	6	1	1

Bolt-down post for 1.2m high fence. Code: **76PB7512B**.










Concrete-in post for 1.2m high fence. Code: **76PC7512B**.



Fence Height (D) mm	Post Height mm	Bolt-Down Ground Clearance mm	Concrete-In Ground Clearance mm	Number of Slats	Number of Inserts	Pieces of Acrylic/ Glass	Number of Top Caps
1265	1360	50	50	11	9	1	1
1380	1460	50	50	12	10	1	1
1495	1560	50	50	13	11	1	1
1610	1660	50	50	14	12	1	1
1725	1760	50	50	15	13	1	1

Bolt-down post for 1.8m high fence. Code: **76PB7518B**.

Concrete-in post for 1.8m high fence. Code: **76PC7518B**.



Please note: Post centre measurements are shown as a guide only. Whilst we do our best to advise and guide, it remains the installers responsibility to ensure the final installation complies with any current building regulations and is securely installed. As we have no knowledge of the location, ground type, or the layout of your system, we would always advise customers to consider these factors and adjust as appropriate.